




DESIGNED    IN ITALY
 & MANUFACTURED





> ELECTRONIC CONTROL UNITS FOR
LPG AND CNG SEQUENTIAL SYSTEMS

ECU TA-200

- Electronic control units model TA-200 are designed and manufactured in Italy
- Available with OBDII connection (48 pin connector)
- Equipped with user-friendly software interface

Model

TA-200/32

32 PIN ECU FOR INDIRECT INJECTION
SYSTEMS



Model

TA-200/48 OBD FAST

48 PIN ECU FOR INDIRECT INJECTION
SYSTEMS, WITH OBDII INTERFACE



→ AVAILABLE ALSO
FOR 6 & 8 CYLINDERS




TECHNICAL DATA

	TA-200/32	TA-200/48 OBD FAST
Supply Voltage:	10 - 16 Volts CC	10 - 16 Volts CC
Working temperature:	-20 / + 105 °C	-20 / + 105 °C
Power consumption:		
- stand-by (key Off):	< 20 mA	< 20 mA
- no load ready to change (key On):	< 160 mA	< 160 mA
Gas Injectors supported:	2, 3, 4	2, 3, 4
Injectors Impedance:	from 2 to 16 ohms	from 2 to 16 ohms
Lock-off load on single input:	2 (Imax = 4A cad.)	2 (Imax = 4A cad.)
Inputs for lock-off / Services:	2	2
Water temper. sensors supported:	4,7 - 10 kohm	4,7 - 10 kohm
Gas temper. sensors supported:	4,7 - 10 kohm	4,7 - 10 kohm
Pressure sensors supported:	4+2,5 bar Absolute	4+2,5 bar Absolute
Level sensors supported:	1050 & 806 compatibles, 0-90 ohm (others on demand)	1050 & 806 compatibles, 0-90 ohm (others on demand)
Lambda sensors managed:	0-0,8 / 0-5 / 5-0 / 0,8-1,6 / 2,5-3,5 / UEGO	0-0,8 / 0-5 / 5-0 / 0,8-1,6 / 2,5-3,5 / UEGO
Lambda emulation	possible for all managed types	possible for all managed types
Change-over Switch:	Pushbutton, gas level shown, operating led, ready-to-change blinking, diagnostics, Buzzer	Pushbutton, gas level shown, operating led, ready-to-change blinking, diagnostics, Buzzer
Interface:	4 poles AMP on the loom for custom USB or Bluetooth interface	4 poles AMP on the loom for custom USB or Bluetooth interface
Standard OBD protocols supported:	none	ISO 9141-2 KEYWORD 2000 (5 BAUD and INIT FAST) CAN STANDARD 250 & 500 CAN EXTENDED 250 & 500

HOMOLOGATIONS

ⓔ8 67R-018563

ⓔ8 110R-01 8564 M





TOMASETTO ACHILLE SPA

Via del Progresso, 47/53
Castegnaro (Vicenza) Italy
Ph +39 0444 638326
Fax +39 0444 639367
info@tomasetto.com

Tomasetto Achille India Pvt Ltd.

B-11, Gala No. 5 & 6, Pritesh Complex,
Anjur Phata Dapoda Road, 421302 Val Village,
Bhiwandi, Thane - Maharashtra - India
Ph. 0091 9272222501
info@tomasettoindia.com
www.tomasettoindia.com

Tecnofabrica S.r.l

Rutherford 4749 Grand Bourg
1615 Tortuguitas
Malvinas Argentinas
Ph. 0054 11 21502540
info@tecnofabrica.com
www.tecnofabrica.com

WWW.TOMASETTO.COM